

1964

ELJER\* LIVABLE

PLUMBING FIXTURE

# colors

Soft, high fashion Eljer Colors that live forever  
 NOT TOO DARK • NOT TOO LIGHT • JUST RIGHT  
 TO DECORATE WITH • WORK WITH • LIVE WITH

## ACID RESISTING

Eljer colors are acid resisting and will not fade. Closely controlled production methods bring color matching between Eljer's enameled cast iron, formed steel, and vitreous china fixtures to commercial perfection. As a result, specifiers and homeowners are assured of the lasting beauty of every Eljer fixture.

## NOTICE

These color chips are matched as closely as possible to Eljer plumbing fixture colors. They can be used with confidence in the selection of other materials for bathroom color schemes. However, lighting conditions that apply to your bathroom should be taken into consideration.



\* JUST RIGHT COLORS plus DISTINCTIVE PLUMBING FIXTURES equals LIVABILITY



# COLOR SCHEME GUIDE FOR *ELJER* COLORED PLUMBING FIXTURES

Because Eljer color values are just right, they are easily adaptable to many different color schemes besides those suggested.

FIXTURE COLORS	TUB BACKGROUND AND/OR) WAINSCOTING	CEILING AND WALL AREA NOT TILED	FLOOR	COUNTER TOP	*ACCESSORIES
No. 35 TUSCAN TAN	Dresden Blue	Pale Blue	Random Blue	Crystalline Cobalt or Concord Blue	Beige and Mocha
	Cinnamon Brown	Light Tan	Random Beige	Cinnamon Brown or Fruitwood	Light and Dark Green
No. 45 CHATEAU GRAY	Pink	Light Pink	Random Rose	Pink Milano	Silver Gray and Wild Rose
	Salt and Pepper	Silver Birch	Random Gray	Charcoal	Silver Gray and Black
No. 55 BLOSSOM PINK	Hydrangea Pink	Bone White	Random Pink	Buckwheat or Champagne Spindrift	Beige and Antique Gold
	Pearl Gray	Cherry Blossom	Random Gray	Salt and Pepper or Sno-Cap Walnut	Ice Pink and Wild Rose
No. 75 TWILIGHT BLUE	Tan	Light Tan	Random Blue	Crystalline Mocha Tawny Walnut	Beige and Azure Blue
	Bright Blue	Light Blue	Random Blue	Pebble Tan Parisian Gold Vanilla	Beige and Mocha
No. 85 COLONIAL YELLOW	Jade Green	Light Aqua	Random Green	Crystalline Ivy or Aqualite Solid Finesse	Yellow and Antique Gold
	Bright Yellow	Silver Birch	Random Dresden	Matt Black or Constellation Black	Silver Gray and Black
No. 95 PASTEL GREEN	Sandlewood	Light Beige	Random Beige	Crystalline Mocha or Georgian Bay Walnut	Light and Dark Green
	Dark Green	Light Green	Random Green	Buckwheat Antique Milano	Beige and Mocha

\*ACCESSORIES INCLUDE . . . Shower and Window curtains, towels, rugs, etc.

WHEN BUILDING OR REMODELING  
CHOOSE \*LIVABLE COLORED  
PLUMBING FIXTURES FOR A  
LIFETIME OF BEAUTY  
AND SATISFACTION


Builders, decorators, and homeowners all recognize today's demand for distinctively styled bath and powder rooms that add to the value of homes and increase salability. It's here that beauty begins with the fixtures themselves as the focal point in \*Livable colors or Snowy White.

Architects, Builders, or Plumbing Contractors should be consulted to help select the proper plumbing fixtures for bath and powder rooms from the many new distinctive Eljer designs. Or write:

THE MURRAY CORPORATION OF AMERICA  
**ELJER** PLUMBINGWARE DIVISION  
3 GATEWAY CENTER, PITTSBURGH 22, PA.




# SQUARE RECESS baths




TOP VIEW

Showing generous back corner seat and 4" wide seat on paneled apron rim.




DIMENSIONS




E-1060


## luxury brass




E-9182




E-9187



E-9120



E-9162



E-9165

## Delray

### ENAMELED CAST IRON

Acid Resisting

E-1060—Square recess bath, left outlet, right corner seat.

E-1065—Square recess bath, right outlet, left corner seat.

Size: Length 48", width 42", height 14".

Deluxe enameled cast iron recess bath for luxury installations.

Integral back corner seat and wide rim seat.

All parts within easy reach for cleaning.

Straight apron floor line speeds up floor tile setting.


### BATH AND SHOWER FITTINGS

fixtures	luxury	lifetime
Over-rim bath filler	E-9120	E-9420
Shower and bath filler with diverter valve	E-9182	E-9482
Shower and bath filler with diverter spout	E-9187	E-9487
Mixing valve shower and bath filler with diverter spout	E-9190	E-9490
Pop-up waste	E-9162	E-9462
Trip lever waste		E-9463
Quick drain waste	E-9165	E-9465

See brass section for details of fittings and wastes.



# baths RECEPTOR RECESS



## Montego

ENAMELED CAST IRON  
Acid Resisting

E-1040

E-1040—Receptor bath, left outlet, right corner seat.

E-1045—Receptor bath, right outlet, left corner seat.


Size: Length 42", width 37", height 12".

Enameled cast iron receptor bath for homes, motels, apartments or space-saver units.

Integral corner seat and generous bathing area. Excellent for children's bath.


Apron line at floor straight from end to end.

Low rim, easy to step over safely.




TOP VIEW

Showing corner seat, wide apron seat and generous corner to corner bathing area.




DIMENSIONS


## lifetime brass



E-9482



E-9487



E-9420




E-9468

### BATH AND SHOWER FITTINGS

fixtures	luxury	lifetime
Over-rim bath filler	E-9120	E-9420
Shower and bath filler with diverter valve	E-9182	E-9482
Shower and bath filler with diverter spout	E-9187	E-9487
Mixing valve shower and bath filler with diverter spout	E-9190	E-9490
Pop-up waste	E-9168	E-9468


See brass section for details of fittings and wastes.





**TOP VIEW**

Showing wide rim seat, integral end seat and generous bathing area.



**DIMENSIONS**

For Bath and Shower Fittings see box on page 10.


**USE POP-UP BATH WASTES**

E-9169 luxury or  
E-9469 lifetime.


See brass section for details of fittings and wastes.

**ILLUSTRATIONS BELOW  
SHOW EASY METHOD  
TO ENTER MADRID BATH**


(Reverse procedure to leave)




**STEP 1**




**STEP 2**




**STEP 3**




**STEP 4**



**STEP 5**



**STEP 6**



## *Madrid*

E-1035


**ENAMELED CAST IRON**

**Acid Resisting**

- E-1035—Recess bath, right outlet, left end seat.
- E-1030—Recess bath, left outlet, right end seat.
- **Size:** Length 5 1/2', width 31 1/2'', height 18''.

- For luxury homes and fine apartments. Especially popular for installation in homes for our senior citizens.
- Integral end seat, for sitting shower or foot bathing.
- 5 1/2' length allows ample size bathing area. Wide, flat bottom insures against slipping.
- Every part within easy reach for cleaning.





## Samoa

**ENAMELED CAST IRON**  
Acid Resisting

E-1070—Recess bath, left outlet.

E-1075—Recess bath, right outlet.


**Size:** Lengths 5', 5½', width 31½", height 16".

This recess bath has modern glamour, yet is basically functional.  
Wide rim seat within easy reach of faucets.  
Full bathing area, sloping back, flat bottom for safety.  
Straight front apron floor line makes tile installation easier and quicker.

### BATH AND SHOWER FITTINGS


fixtures	luxury	lifetime
Over-rim bath filler	E-9120	E-9420
Shower and bath filler with diverter filler	E-9182	E-9482
Shower and bath filler with diverter spout	E-9187	E-9487
Mixing valve shower and bath filler with diverter spout	E-9190	E-9490
Pop-up waste	E-9160	E-9460
Trip lever waste		E-9461
Quick drain waste	E-9164	E-9464

See brass section for details of fittings and wastes.




TOP VIEW

Showing wide seat and straight floor line of apron.




DIMENSIONS


## luxury brass




E-9182




E-9187



E-9120




E-9160




E-9164





**TOP VIEW**

Showing wide rim seat and generous bathing area.



**DIMENSIONS**

## Capri

**ENAMELED CAST IRON**  
Acid Resisting

E-1180—Recess bath, left outlet.


E-1185—Recess bath, right outlet.

**Size:** Length 4½', width at ends 28½", height 14".


For small homes, motels, and similar installations where limited space and budgets prevail.

Only 14" high with wide rim seat.  
Smaller size, lower weight.

CAPRI BATH WASTES		
waste	lifetime	lusterline
Pop-up waste	E-9462	
Trip lever waste	E-9463	E-9050
Chain and stopper waste	E-9456	



**DIMENSIONS**



E-1120

## Riviera

**ENAMELED CAST IRON**  
Acid Resisting

E-1120—Recess bath, left outlet.

E-1125—Recess bath, right outlet.

**Size:** Lengths 4', 4½', 6'; width (at ends) 30¾", height 16".

Adaptable for any installation—residential, commercial or institutional.

4" wide rim seat for foot bathing.


Flat bottom for safety when standing.

BATH AND SHOWER FITTINGS		
fixtures	luxury	lifetime
Over-rim bath filler	E-9120	E-9420
Shower and bath filler with diverter valve	E-9182	E-9482
Shower and bath filler with diverter spout	E-9187	E-9487
Mixing valve shower and bath filler with diverter spout	E-9190	E-9490
Pop-up waste	E-9160	E-9460
Trip lever waste		E-9461
Chain and stopper waste		E-9455

See brass section for details of fittings and wastes.



# baths RECESS



## Naples

**ENAMELED CAST IRON**  
Acid Resisting

E-1080

E-1080—Recess bath, left outlet.

E-1085—Recess bath, right outlet.

Size: Length 5', width 30", height 14".

Modern, contour design for small homes, motels and similar installations where limited budgets prevail.

Wide rim seat for foot bathing.


Only 14" high. Easy to step in and out safely.

Smaller size, lower weight.

### BATH AND SHOWER FITTINGS


fixtures	lifetime	lusterline
Over-rim bath filler	E-9420	E-9030
Shower and bath filler with diverter valve	E-9482	E-9035
Shower and bath filler with diverter spout	E-9487	E-9040
Mixing valve shower and bath filler with diverter spout	E-9490	
Pop-up waste	E-9462	
Trip lever waste	E-9463	E-9050
Chain and stopper waste	E-9456	

See brass section for details of fittings and wastes.




TOP VIEW

Showing wide rim seat and large bathing area.




DIMENSIONS


## lifetime brass




E-9482




E-9487



E-9420




E-9462




E-9463






**TOP VIEW**

Showing straight apron floor line and sloping back.




**DIMENSIONS**

## lusterline brass




E-9035


E-9040



E-9030



E-9050



E-1230

## Gateway

**ENAMELED FORMED STEEL**  
Acid Resisting

E-1230—Recess bath, left outlet.

E-1235—Recess bath, right outlet.

**Size:** Lengths 4 1/2', 5'; width 30", height 15 1/2".

Light in weight, low in cost.

Sloping back for comfort, flat bottom for safety.


Straight apron floor line cuts cost and time of floor tile installation.

### BATH AND SHOWER FITTINGS

fixtures	lifetime	lusterline
Over-rim bath filler	E-9420	E-9030
Shower and bath filler with diverter valve	E-9482	E-9035
Shower and bath filler with diverter spout	E-9487	E-9040
Mixing valve shower and bath filler with diverter spout	E-9490	
Pop-up waste	E-9460	
Trip lever waste	E-9461	E-9050
Chain and stopper waste	E-9455	

See brass section for details of fittings and wastes.





## Ventura

E-1210

### ENAMELED FORMED STEEL

Acid Resisting

E-1210—Recess bath, left outlet.

E-1215—Recess bath, right outlet.

Size: Length 5', width 31", height 15½".

One-piece construction formed steel.

Precision formed, light in weight, economical in cost.


For homes, apartments, mobile homes, motels and similar installations.

Wide rim seat and flat bottom for safety.

#### BATH AND SHOWER FITTINGS


fittings	lifetime	lusterline
Over-rim bath filler	E-9420	E-9030
Shower and bath filler with diverter valve	E-9482	E-9035
Shower and bath filler with diverter spout	E-9487	E-9040
Mixing valve shower and bath filler with diverter spout	E-9490	
Pop-up waste	E-9462	
Trip lever waste	E-9463	E-9050
Chain and stopper waste	E-9456	

See brass section for details of fittings and wastes.




TOP VIEW

Showing rim seat, and generous bathing area.



DIMENSIONS



## Sarasota

### ENAMELED FORMED STEEL

Acid Resisting

E-1250—Recess bath, left raised outlet.

E-1255—Recess bath, right raised outlet.

The above cut-away-view of the Sarasota Bath illustrates the outlet raised 3½" permitting waste line to be installed above floor.

The exterior design and outside dimensions are identical to the Ventura Bath.


#### RAISED OUTLET BATH WASTES

waste	luxury	lifetime
Pop-up waste	E-9168	E-9468

For shower and bath fillers, see fitting selection in box at left.




# CORNER baths




**TOP VIEW**

Showing wide side and end rim seats,  
generous bathing area.




**DIMENSIONS**


**lifetime brass**




E-9482




E-9487




E-9420



E-9460



E-9461



E-1100

*Riviera*

**ENAMELED CAST IRON**

**Acid Resisting**

E-1100—Corner bath, left outlet, left corner.

E-1105—Corner bath, right outlet, right corner.

Size: Lengths 5', 5 1/2'; width 30 3/4", height 16".

Ideal for new construction or modernization where recess bath is not practical due to lack of wall area.

Wide side and end rim seats.

Flat bottom and sloping back.

## BATH AND SHOWER FITTINGS

fixtures	luxury	lifetime
Over-rim bath filler	E-9120	E-9420
Shower and bath filler with diverter valve	E-9182	E-9482
Shower and bath filler with diverter spout	E-9187	E-9487
Mixing valve shower and bath filler with diverter spout	E-9190	E-9490
Pop-up waste	E-9160	E-9460
Trip lever waste		E-9461
Chain and stopper waste		E-9455

See brass section for details of fittings and wastes.

FINE PLUMBING FIXTURES  
**ELJER**





E-1200

## Lake Forest

**ENAMELED FORMED STEEL**

**Acid Resisting**


E-1200—Corner bath, left outlet, left corner.

E-1205—Corner bath, right outlet, right corner.

Size: Length 5', width (at least) 30", height 15½".


Economical for modernization or new homes where only one end wall available.

Light weight reduces time and cost of installations.




**TOP VIEW**

Shows easy-to-grip rim and sloping back.




**DIMENSIONS**

## lusterline brass



E-9035

E-9040



E-9030




E-9050

### BATH AND SHOWER FITTINGS

fixtures	lifetime	lusterline
Over-rim bath filler	E-9420	E-9030
Shower and bath filler with diverter valve	E-9482	E-9035
Shower and bath filler with diverter spout	E-9487	E-9040
Mixing valve shower and bath filler with diverter spout	E-9490	
Pop-up waste	E-9460	
Trip lever waste	E-9461	E-9050
Chain and stopper waste	E-9455	

See brass section for details of fittings and wastes.







E-3330

**lifetime**


**lifetime**



E-9331-A



E-9355-A



E-3344

NOTE: On special order, all Delwyn or Delbrook lavatories can be supplied with openings for Concealed Arm Carriers. The 24 x 20" and 20 x 18" sizes can also be supplied for use with soap dispensers.

See brass section for details of lavatory fittings.

## WALL lavatories

### Delbrook

#### VITREOUS CHINA

E-3330—Lavatory with back and E-3348 china leg.\* For combination fitting.

E-3334—Same as E-3330, except for centerset fitting.

Front overflow concealed under anti-splash rim . . . Two soap depressions . . . Integral china brackets punched for anchoring screws . . . Concealed wall hanger.

\*NOTE: E-3348 leg regularly furnished to set rim 31" from floor. Also available to set rim 24" or 27" from floor on special order.

#### DIMENSIONS

size	back	basin
20 x 18"	4"	15 x 10"
24 x 20"	5"	18 x 11"

#### LAVATORY FITTINGS

fittings	lifetime	lusterline
Combination fitting with aerator and pop-up waste	E-9324-A	
Centerset fitting with aerator and pop-up waste	E-9346-A	E-9020-A

E-9756-W— $\frac{3}{8}$ " Supplies and stops.

E-9727— $1\frac{1}{4}$ " "P" trap.

### Delwyn

#### VITREOUS CHINA

E-3344—Lavatory with back. For centerset fitting.

E-3340—Lavatory with back. For combination fitting.

Front overflow concealed under anti-splash rim . . . Two soap depressions . . . Integral china brackets punched for anchoring screws . . . Concealed wall hanger.

#### DIMENSIONS

size	back	basin
18 x 15"	4"	$13\frac{5}{8} \times 8\frac{5}{8}$ "
20 x 18"	4"	15 x 10"
24 x 20"	5"	18 x 11"

#### LAVATORY FITTINGS

fittings	lifetime	lusterline
Combination fitting with aerator and pop-up waste	E-9324-A	
Centerset fitting with aerator and pop-up waste	E-9346-A	E-9020-A

E-9756-W— $\frac{3}{8}$ " Supplies and stops.

E-9727— $1\frac{1}{4}$ " "P" trap.



# lavatories WALL AND BUILT-IN

## *Bucknell*

**ENAMELED CAST IRON**  
Acid Resisting

**E-1634**—Lavatory with back. For centerset fitting.

**E-1624**—Same as E-1634, except with E-9822 legs.

**E-1644**—Same as E-1634, except with E-1639 enameled cast iron leg.

**E-1630**—Lavatory with back. For combination fitting or separate faucets with inlets on 8" centers.

**E-1620**—Same as E-1630, except with E-9822 legs.

**E-1640**—Same as 1630, except with E-1639 enameled cast iron leg.

**NOTE:** E-1639 Leg regularly furnished to set rim 31" from floor.

Front overflow . . . Concealed wall hanger . . . Soap depression  
. . . Large basin area.

### DIMENSIONS

size	back	basin
19 x 17"	4"	14 1/4 x 9 3/4"
20 x 18"	4"	15 1/2 x 10 1/4"

### LAVATORY FITTINGS

fittings	lifetime	lusterline
Centerset fitting with aerator and pop-up waste	E-9346-A	E-9020-A
Combination fitting with aerator and pop-up waste	E-9324-A	

E-9370—Compression faucets.

E-9304—Pop-up waste.

E-9756-W—3/8" Supplies and stops.

E-9727—1 1/4" "P" trap.

### BUILT-IN

## *Clement*

**ENAMELED CAST IRON**  
Acid Resisting

**E-1514**—Lavatory for counter top and cabinet installation. Ledge for centerset fitting.

Front overflow . . . Fits counters as narrow as 20" deep.

### DIMENSIONS

size	basin
19 1/4 x 16 1/4"	16 x 11"


### LAVATORY FITTINGS

fittings	lifetime	lusterline
Centerset fitting with aerator and pop-up waste	E-9346-A	E-9020-A
Centerset fitting with aerator, P.O. plug, chain and stopper	E-9355-A	E-9025-A*

E-9756-W—3/8" Supplies and stops.

E-9727—1 1/4" "P" trap.


E-9908—Stainless steel frame and lugs.




E-1634

lifetime

lifetime



E-9324-A



E-9355-A



E-1514


\*Less P.O. plug, chain and stopper.  
See brass section for details of lavatory fittings.



# COUNTER TOP AND BUILT-IN lavatories

## Brenda

VITREOUS CHINA



E-3328

NOTE: Brenda lavatories do not require mounting rim. Just cut rough opening per template packed with each fixture, apply mastic, set lavatory in place and securely fasten with special bolts supplied for this purpose.

E-3328—Uni-Rim oval lavatory with slant-back for counter top and cabinet installation. E-9347-A "Life-time" combination fitting with aerator and pop-up waste.

E-3327—Same as E-3328, except with E-9047-A "Luster-line" combination fitting with aerator and pop-up waste.

E-3329—Same as E-3328, except with E-9147-A "Lux-ury" combination fitting with aerator and pop-up waste.

Front overflow concealed under anti-splash rim . . . Can be installed in counters as narrow as 20" . . . Regularly furnished with mastic, "J" bolts, clips and wing nuts . . . Fittings installed at factory to save assembly costs for contractor.


Size: 20 x 16"

### FITTINGS

E-9756-W— $\frac{3}{8}$ " Supplies and stops.

E-9727— $1\frac{1}{4}$ " "P" trap.

See brass section for details of lavatory fittings.



E-1764

## Seaview

ENAMELED FORMED STEEL

Acid Resisting

E-1764—Lavatory for counter top and cabinet installation. For centerset fitting.

Front overflow . . . Soap depression . . . Available in colors or white.

Size: 18" Diameter

### LAVATORY FITTINGS

fittings	lifetime	lusterline
Centerset fitting with aerator and pop-up waste	E-9346-A	E-9020-A
Centerset fitting with aerator, P.O. plug, chain and stopper	E-9355-A	E-9025-A*

E-9756-W— $\frac{3}{8}$ " Supplies and stops.

E-9727— $1\frac{1}{4}$ " "P" trap.

E-9912—Stainless steel frame and lugs.

\*Less P.O. plug, chain, and stopper.

See brass section for details of lavatory fittings.



# lavatories BUILT-IN

## Barrow

### VITREOUS CHINA

**E-3470**—Lavatory with front overflow and glazed rim for counter top installation.

E-9911—Stainless steel frame with lugs (specify size).

**E-3471**—Lavatory with front overflow and unglazed rim for under marble installation.

E-9939—Angle clips and screws.

#### DIMENSIONS


outside	inside
14 x 14"***	11½ x 11½"
17 x 14"	14½ x 11½"
19 x 15"	16½ x 12½"
21¼ x 17¼"	19 x 15"

\*\*\*Furnished with glazed rim only.


LAVATORY FITTINGS		
fixtures	luxury	lifetime
Combination fitting with aerator and offset pop-up waste rod	E-9125-A	
Same as above, except with 2" longer spout		E-9325-A

E-9756-W—¾" Supplies and stops.

E-9727—1¼" "P" trap.



E-3470



E-3471

## Burke

### ENAMELED CAST IRON

#### Acid Resisting

**E-1504**—Lavatory for counter top and cabinet installation. Ledge for centerset fitting.

Front overflow . . . Two soap depressions


SIZE: 18" Diameter

LAVATORY FITTINGS		
fixtures	lifetime	lusterline
Centerset fitting with aerator and pop-up waste	E-9346-A	E-9020-A
Centerset fitting with aerator, P.O. plug, chain and stopper	E-9355-A	E-9025-A*

E-9756-W—¾" Supplies and stops.

E-9727—1¼" "P" trap.

E-9912—Stainless steel frame and lugs.



E-1504

\*Less P.O. plug, chain, and stopper.


See brass section for details of lavatory fittings.



# COMBINATIONS closets

## Silette

### VITREOUS CHINA



E-5000



\*The term "non-overflow" means that under normal operating conditions, the closet will not overflow even though a stoppage occurs in the trapway or soil line. However, under certain combinations of circumstances, which rarely if ever occur, it is possible for the closet to overflow.

**E-5000**—Low, one-piece closet combination with ultra quiet flushing action, \*non-overflow round front bowl, 2 china bolt caps, screws, nuts and washers. Tank has anti-siphon float valve with jet pump principle to aspirate tank water, special controlling stop in tank, E-9171 "Luxury" tank lever, 1/2 x 12" flexible wall supply with elbow, (less wall nipple), and E-7950 solid plastic contour seat and cover.

**E-5010**—Same, except with elongated bowl and E-7951 seat and cover.

### DIMENSIONS

NO.	A	WATER SURFACE
E-5000	27 3/4"	12" x 11 1/2"
E-5010	29 3/4"	13" x 11 1/2"



E-5260

Aside from its "new look" and exclusive design, the "Triangle" permits new flexibility in bathroom planning. The corner fit not only conserves space in powder rooms and bathrooms, but provides more elbow room and is much easier to clean around.

## Triangle

### VITREOUS CHINA

**E-5260**—Close-coupled corner closet combination with siphon jet round front bowl and 2 flat bolt covers. Corner tank has integral china overflow and ground-in valve seat complete with E-9010 Float valve with volume control and E-9870 "Lifetime" tank lever.

**E-5265**—Same, except with elongated bowl.

### SUPPLY AND SEATS


E-9752-W—3/8" supply and stop.

E-7977—Closed front seat and cover for round front closet.

E-7978—Closed front seat and cover for elongated closet.

### DIMENSIONS

NO.	WATER SURFACE
E-5260	12" x 10 1/2"
E-5265	13 3/4" x 11 1/2"





# closets COMBINATIONS

## *Estate*

### VITREOUS CHINA

**E-5245**—Close-coupled closet combination with de luxe siphon jet elongated bowl and 2 flat bolt covers. Tank has integral china overflow and ground-in valve seat complete with E-9860 Float valve with integral shut-off and volume control and E-9170 "Luxury" tank lever.

**E-5240**—Same, except with round front bowl.


#### SUPPLY AND SEATS

E-9752-W— $\frac{3}{8}$ " supply and stop.

E-7977—Closed front seat and cover for round front closet.

E-7978—Closed front seat and cover for elongated closet.

#### DIMENSIONS



E-5245

Saddle tank gives low effect of one-piece closet yet holds more water for quiet, positive flushing. Flat bolt covers are easy to clean and keep clean. Only two bolts needed to hold balanced bowl in place.

## *Emblem*

### VITREOUS CHINA

**E-5250** — Closed-coupled closet combination with siphon jet round front bowl and 2 flat bolt covers. Tank has integral china overflow and ground-in valve seat complete with E-9010 Float valve with volume control and E-9870 "Lifetime" tank lever.

**E-5254**—Same as E-5250, except for 14" roughing.

**E-5255**—Same as E-5250, except with elongated bowl.

**NOTE: THE EMBLEM COMPLIES FULLY WITH FEDERAL SPECIFICATIONS FOR SIPHON JET FLOOR CLOSETS.**


#### SUPPLY AND SEATS

E-9752-W— $\frac{3}{8}$ " supply and stop.

E-7977—Closed front seat and cover for round front closet.

E-7978—Closed front seat and cover for elongated closet.

#### DIMENSIONS



E-5250

#### TOP VIEW



Round Front



Elongated





E-5270

This popular washdown combination has the appearance of much more expensive closets. Styled and designed by the staff of famed Dave Chapman, industrial designer.

## COMBINATIONS closets

### *Ellis*

#### VITREOUS CHINA

**E-5270**—Close-coupled closet combination with wash-down round front bowl, 12" roughing and 2 flat bolt covers. Tank has integral china overflow and ground-in valve seat complete with E-9010 Float valve with volume control and E-9870 "Lifetime" tank lever.


**E-5275**—Same, except for 10" roughing.

#### SUPPLY AND SEAT

E-9752-W— $\frac{3}{8}$ " supply and stop.

E-7940—Closed front seat and cover.

#### DIMENSIONS



E-5280

This combination of the Ellis washdown closet bowl and special 17" wide tank is popular among builders of tract homes, mobile homes and public housing as a real space saver. Flat bolt covers are easy to clean and keep clean.

NOTE: For optional seats, see pages 60 and 61; supplies, see brass section.

### *Trellis*

#### VITREOUS CHINA


**E-5280**—Close-coupled closet combination with wash-down round front bowl, 11 1/2" roughing and 2 flat bolt covers. Special 17" wide tank has integral china overflow and ground-in valve seat complete with E-9864 Anti-siphon float valve with integral shut-off and volume control and E-9870 "Lifetime" tank lever.

#### SUPPLY AND SEAT

E-9752-W— $\frac{3}{8}$ " supply and stop.

E-7940—Closed front seat and cover.

#### DIMENSIONS





# closets WALL HUNG

## Easton

### VITREOUS CHINA


**E-5220**—Close-coupled wall hung closet combination with de luxe siphon jet round front bowl. Tank has integral china overflow and ground-in valve seat complete with E-9863 Anti-siphon float valve with integral shut-off and volume control, E-9170 "Luxury" tank lever and E-9752-W  $\frac{3}{8}$ " supply and stop. ( $\frac{1}{2}$ " supply if required.)

#### SEAT

**E-7977**—Closed front seat and cover.

Drainage fittings and closet carriers required but not furnished by Eljer. Can be furnished by Josam, Smith, Zurn and others.

#### DIMENSIONS



**E-5220**

Clearance from finished floor gives ample room for mopping or sweeping. Semi-concealed bolts and supply pipe to give uncluttered appearance, free from institutional look.

**NOTE:** For optional seats, see pages 60 and 61; supplies, see brass section.

## Walford

### VITREOUS CHINA

**E-5230**—Close-coupled wall hung closet combination with quiet siphon jet action round front bowl. Tank has integral china overflow and ground-in valve seat, complete with E-9010 Float valve with volume control and E-9870 "Lifetime" tank lever.


#### SUPPLY AND SEAT

**E-9752-W**— $\frac{3}{8}$ " supply and stop.

**E-7977**—Closed front seat and cover.

Drainage fittings and closet carriers required but not furnished by Eljer. Can be furnished by Josam, Smith, Wade, Zurn, and others.

#### DIMENSIONS



**E-5230**

The Walford has ample clearance from finished floor for mopping or sweeping. Can be supplied with E-5297 Planter Tank Cover. (see page 46)





E-5351

This two-piece combination is ideal for schools, institutions and public rest rooms where rough usage is a problem.



E-5421

For installation where economy with dependable service is important.

NOTE: For optional seats, see pages 60 and 61; supplies, see brass section.

## COMBINATIONS closets

### Texas-New Seville

#### VITREOUS CHINA

E-5351—Closet combination with E-7151 reverse trap elongated bowl with 2" back spud, for 12" roughing. E-7885 Wall hung tank has integral china overflow and ground-in valve seat complete with E-9010 Float valve with volume control, E-9870 "Lifetime" tank lever and elbow flush connection.

E-5341—Same, except with E-7141 round front bowl.


#### SUPPLY AND SEAT

E-9752-W— $\frac{3}{8}$ " supply and stop.

E-7975—Closed front seat and cover for round front closet.

E-7976—Closed front seat and cover for elongated closet.

#### DIMENSIONS



### Andes-New Seville

#### VITREOUS CHINA

E-5421—Closet combination with E-7621 washdown round front bowl with 2" back spud, for 14" roughing. E-7885 Wall hung tank has integral china overflow and ground-in valve seat complete with E-9010 Float valve with volume control, E-9870 "Lifetime" tank lever and elbow flush connection.


E-5441—Same, except with E-7601 round front bowl for 12" roughing.

#### SUPPLY AND SEAT

E-9745— $\frac{3}{8}$ " plain supply pipe.

E-7975—Closed front seat and cover.

#### DIMENSIONS





# closets COMBINATIONS

## *Trailer*

### VITREOUS CHINA


**E-5145**—Close-coupled closet combination with reverse trap round front bowl, 10" roughing, 4 bolt caps and 2 closet screws. Tank has integral china overflow and ground-in valve seat complete with E-9864 Anti-siphon float valve with integral shut-off and volume control and E-9870 "Lifetime" tank lever.

#### SUPPLY AND SEAT

E-9750-W— $\frac{3}{8}$ " supply and stop.

E-7945—Closed front seat and cover.

#### DIMENSIONS



E-5145

For mobile homes or remodeling where space is a problem. Fits in 17 x 22" area. Requires only 3 gallons of water. Tank can be secured to wall with two (2) wall hooks above water line, for 9" roughing.


## *Planter Closet Tank Cover*

### VITREOUS CHINA

OPTIONAL ON ESTATE, EMBLEM,  
ELLIS, AND WALFORD CLOSETS

**E-5297**—Planter Closet Tank Cover.

Provides a practical use of space for toilet articles or books and a planter for live flowers. Made exclusively by Eljer in lustrous vitreous china in colors or white.



E-5297



## FLUSH VALVE closets

### *New Sanus*

#### VITREOUS CHINA

**E-5950**—Elongated siphon jet closet with 1 1/2" top spud and flat bolt covers.

**E-5957**—Elongated siphon jet closet with integral seat, 1 1/2" top spud and flat bolt covers.

#### SEAT

**E-7986**—Open front seat for elongated closet.





E-5950

#### FLUSH VALVES

make	exposed	concealed
Delany Flushboy	402-AVB	546-VB
Sloan Royal	110-FYV	140-YV
Watrous Neptune	M-332-VB	M-336-VB

#### DIMENSIONS



E-5951

On special order the New Sanus is available with integral china bedpan lugs as required for hospitals, clinics, nursing homes, etc. Note exclusive flat bolt covers for easier cleaning and mopping around base.

### *New Sanus*


#### VITREOUS CHINA

**E-5951**—Elongated siphon jet closet with 1 1/2" back spud and flat bolt covers.

#### SEAT

**E-7986**—Open front seat for elongated closet.

#### DIMENSIONS





# closets FLUSH VALVE

## Texas

### VITREOUS CHINA

**E-6141**—Round front reverse trap closet with 1 1/2" back spud.



**E-6151**—Elongated reverse trap closet with 1 1/2" back spud.

#### SEATS

**E-7985**—Open front seat for round front closet.

**E-7986**—Open front seat for elongated closet.

#### DIMENSIONS



E-6141

#### FLUSH VALVES

make	exposed
Delany Flushboy	404-AVB
Sloan Royal	120-FYV
Watrous Neptune	M-333-VB

## Toronto

### VITREOUS CHINA

**E-6210**—Elongated blowout closet with 1 1/2" top spud.



**E-6217**—Elongated blowout closet with integral seat and 1 1/2" top spud.

#### SEAT

**E-7986**—Open front seat.

A heavy duty closet providing a quick, positive flush and is especially recommended for industrial or any installation where traffic is heavy.

#### DIMENSIONS



E-6210

#### FLUSH VALVES

make	exposed
Delany Flushboy	402-AVB
Sloan Royal	110-FYV
Watrous Neptune	M-332-VB



## FLUSH VALVE closets

### Tri-San

#### VITREOUS CHINA



**E-5970**—Elongated siphon jet closet with 3" trapway and 1½" top spud.

#### SEAT

E-7986—Open front seat.

The Tri-San 3" passageway makes it ideal for heavy duty in women's public toilet rooms, in office buildings, terminals and department stores, as it permits bulky waste matter to be carried off easily and rapidly.

#### DIMENSIONS



E-5970

#### FLUSH VALVES

make	exposed
Delany Flushboy	402-AVB
Sloan Royal	110-FYV
Watrous Neptune	M-332-VB

### New Elvortex


#### VITREOUS CHINA

**E-6170**—Elongated whirlpool (vortex) jet action closet with 1½" top spud and flat bolt covers.

#### SEAT

E-7986—Open front seat for elongated closet.

On special order available with integral china bedpan lugs as this closet is often specified for hospitals and convalescent homes because of its quiet, positive flushing action. Whirlpool action cleanses as it swirls and flushes.



E-6170

#### FLUSH VALVES

make	exposed
Delany Flushboy	402-AVBQ
Sloan Royal	110-FYVQ
Watrous Neptune	M-332-VBX



# closets WALL HUNG

## New Tacoma

VITREOUS CHINA



**E-6520**—Elongated wall hung blowout closet with 1 1/2" top spud.

### SEAT

**E-7986**—Open front seat for elongated closet.

Wall hung closets minimize janitor service in all buildings. The Tacoma is a heavy duty bowl, blowout type, for special installations such as state institutions and public rest rooms.

### DIMENSIONS



E-6520

### FLUSH VALVES

make	exposed
Delany Flushboy	402-AVB
Sloan Royal	112-YV
Watrous Neptune	M-337-VB

## New Tacoma

VITREOUS CHINA

**E-6521**—Elongated wall hung blowout closet with 1 1/2" back spud.


**E-6528**—Elongated wall hung blowout closet with integral seat and 1 1/2" back spud.

### SEAT

**E-7986**—Open front seat for elongated closet.

**NOTE:** Minimum of 25 pounds pressure at valve required for satisfactory flushing action. Drainage fittings and closet carriers required but not furnished by Eljer. Can be furnished by Josam, Smith, Wade, Zurn, and others.

### DIMENSIONS



E-6521

### FLUSH VALVES

make	concealed
Delany Flushboy	544-VB
Sloan Royal	144-YV
Watrous Neptune	M-339-VB



# WALL HUNG closets

## New Auburn

### VITREOUS CHINA



E-6721

FLUSH VALVES		
make	exposed	concealed
Delany Flushboy	402-AVB	543-VB
Sloan Royal	112-YV	143-YV
Watrous Neptune	M-337-VB	M-339-VB

NOTE: On special order both New Auburn and New Walvortex closets can be supplied with integral china bedpan lugs.

E-6721—Elongated wall hung siphon jet closet with 1 1/2" back spud.

E-6720—Elongated wall hung siphon jet closet with 1 1/2" top spud.


E-6728—Elongated wall hung siphon jet closet with integral seat and 1 1/2" back spud.

#### SEAT

E-7986—Open front seat for elongated closet.

Auburn wall-hung closets have long been popular for schools, institutions and hotels because they offer quiet efficiency. Full 3" seal and large water area. Four bolts to carrier insure strong, secure installation to carry heavy weight.

#### DIMENSIONS



E-6740

FLUSH VALVES		
make	exposed	concealed
Delany Flushboy	402-AVBQ	543-VBQ
Sloan Royal	112-YVQ	143-YVQ
Watrous Neptune	M-337-VBX	M-339-VBX

NOTE: Minimum of 15 pounds pressure at valve required for satisfactory flushing action of New Auburn and New Walvortex. Drainage fitting and closet carriers required but not furnished by Eljer. Can be furnished by Josam, Smith, Wade, Zurn, and others.

## New Walvortex

### VITREOUS CHINA

E-6740—Elongated wall hung whirlpool (vortex) jet action closet with 1 1/2" top spud.


E-6741—Elongated wall hung whirlpool (vortex) jet action closet with 1 1/2" back spud.

#### SEAT

E-7986—Open front seat for elongated closet.

The New Walvortex closet retains all the fine features of the New Auburn plus an extra quiet flushing action.

#### DIMENSIONS






# closets FOR WALL HUNG TANK

## *New Sanus*

VITREOUS CHINA


**E-7050**—Elongated siphon jet 14 $\frac{3}{4}$ " high closet with flat bolt covers and 2" top spud, for wall hung tank.

Siphon jet closets for installation with wall hung tank are popular with school authorities and architects. 2 $\frac{5}{8}$ " passageway gives quiet and efficient action.



E-7050

### DIMENSIONS



## FOR WALL HUNG TANK OR FLUSH VALVE

## *New Sanus Jr.*

VITREOUS CHINA


**E-7070**—Elongated siphon jet 13" high closet with 2" top spud and flat bolt covers.

Only 13" high, the New Sanus Jr. closet is generally installed in schools as a compromise between regular 15" heights and the 10" high Kindergarten closet. Many architects who specialize in school design specify this closet for elementary schools.



E-7070

### DIMENSIONS



NOTE: For installation with flush valve, specify closet with 1 $\frac{1}{2}$ " top spud. For flush valves see page 47.



# FOR WALL HUNG TANK OR FLUSH VALVE **closets**

## *Kindergarten* VITREOUS CHINA

**E-7240**—Round front siphon jet 10" high closet with 2" top spud for wall hung tank. (See page 61 for special seat required.)


NOTE: For installation with flush valve, specify closet with 1½" top spud. For flush valves see page 47.



**E-7240**

Installation of this closet in Kindergarten schools promotes good health and better sanitary habits among little folks. While only 10" high with 15½" long seat, this closet is efficient and rugged.

### DIMENSIONS



**E-7310**

### ANGLE BACK & BASE

## *Newark* (WALL OUTLET)

VITREOUS CHINA


**E-7310**—Elongated siphon jet closet with wall outlet and 1½" top spud.

**E-7311**—Elongated siphon jet closet with wall outlet and 1½" back spud.

**E-7318**—Elongated siphon jet closet with wall outlet, integral seat and 1½" back spud.

For prisons, institutions, factories or any installation where carelessness or abuse may be a problem.

### DIMENSIONS



FLUSH VALVES		
make	exposed	concealed
Delany Flushboy	402-AVB	534-VB
Sloan Royal	110-FYV	152-YV
Watrous Neptune	M-332-VB	M-348-VB



# closets ANGLE BACK & BASE

## *Newark*

(FLOOR OUTLET)


VITREOUS CHINA

**E-7330**—Elongated siphon jet closet with floor outlet and 1½" top spud.

**E-7331**—Elongated siphon jet closet with floor outlet and 1½" back spud.

**E-7338**—Elongated siphon jet closet with floor outlet, integral seat and 1½" back spud.

Newark angle back and base closets are designed especially for prisons, institutions and schools where fixtures must stand up under rough usage. Integral seats afford more sanitary conditions especially in mental and penal institutions.



E-7330

### FLUSH VALVES

make	exposed	concealed
Delany Flushboy	402-AVB	534-VB
Sloan Royal	110-FYV	152-YV
Watrous Neptune	M-332-VB	M-348-VB



## *Missouri*

(WALL OUTLET)

VITREOUS CHINA

**E-8728**—Round front blowout closet with wall outlet, integral seat and 1½" back spud.

Part of Eljer's impressive growth can be attributed to success in designing and manufacturing special fixtures for prisons, institutions and schools. Rugged vitreous china closets like the Missouri are typical of thousands that are giving daily, satisfactory service throughout the world.



E-8728

### FLUSH VALVES

make	concealed
Delany Flushboy	534-VB
Sloan Royal	152-YV
Watrous Neptune	M-348-VB



## FOR WALL HUNG TANK closets

### *Andes*


VITREOUS CHINA

**E-7681**—Round front washdown closet with 2" back spud. To rough-in at 16" with wall hung tank.



**E-7681**

For modernization work where unusual 16" rough-in is required, this economy closet is often called for by builders and contractors.




## WALL HUNG TANK

### *New Seville*

VITREOUS CHINA

**E-7885**—Wall hung tank has integral china overflow and ground-in valve seat complete with E-9010 Float valve with volume control, E-9870 "Lifetime" tank lever, 2" Elbow flush connection, and wall hooks.


**NOTE:** For top spud closets, specify 2 x 1 1/2" offset flush connection.



**E-7885**

Tank cover locking device available when specified. For supplies, see brass section.

### DIMENSIONS





# closets WITH SEAT-ACTION PRESSURE TANKS

## *Andes*

VITREOUS CHINA

**E-5465-MKC**—Round front washdown closet with 1 1/2" back spud and No. 132-SB Modern Kelly concealed pressure tank.

**E-5464-MKE**—Round front washdown closet with 1 1/2" back spud and No. 131-SB Modern Kelly exposed pressure tank.

Modern Kelly seat action pressure tanks include 1/2" supply, black open front composition seat, 8 x 24" galvanized steel tank with flush pipe and connections.

V-100-A or Wisconsin type vacuum breaker available when specified.

White seat and tank with enameled exterior finish available when specified.



**E-5465-MKC**

Popular in arid areas where water is scarce. Modern Kelly automatic seat-action pressure tanks cut down water consumption radically. In some instances, as much as 50 percent of the amount of water used by a high or low manually operated tank has been saved in actual tests.

## *New Sanus*

VITREOUS CHINA

**E-5954-MKE**—Elongated siphon jet closet with 1 1/2" top inlet and No. 131-ST Modern Kelly exposed pressure tank.

**E-5955-MKC**—Elongated siphon jet closet with 1 1/2" top inlet and No. 132-ST Modern Kelly concealed pressure tank.

Modern Kelly seat action pressure tanks include 1/2" supply, black open front composition seat, 8 x 24" galvanized steel tank with flush pipe and connections.

V-100-A or Wisconsin type vacuum breaker available when specified.

White seat and tank with enameled exterior finish available when specified.



**E-5954-MKE**


For industrial and public toilet rooms. Either exposed or concealed compression tanks maintain and discharge water at the same pressure as in the ordinary water supply. A one-half inch feeder line suffices for water supply. Valves are fool proof with no adjustment required.



# WALL urinals

## New Correcto


VITREOUS CHINA



E-8105

NOTE: Concealed chair supports when required for New Correcto can be furnished by Josam, Smith, Wade, Zurn, or others.

### DIMENSIONS




E-8105—Wall-hung washout urinal with  $\frac{3}{4}$ " top spud, integral flushing rim, semi-concealed overflow, integral trap with cleanout, wall hangers and 2" female flanged wall outlet connection. For exposed flush valve.

E-8107—Same as E-8105, except with  $\frac{3}{4}$ " back spud. For concealed flush valve.

NOTE: Available with 3" female flanged wall outlet connection when specified.

### FLUSH VALVES

make	exposed	concealed
Delany Flushboy	451	572
Sloan Royal	186	195-U
Watrous Neptune	M-349	M-341-S



E-8106

## New Correcto

VITREOUS CHINA

E-8106—Wall-hung washout urinal with  $\frac{3}{4}$ " top spud, integral flushing rim, semi-concealed overflow, integral trap with cleanout, wall hangers and 2" female flanged wall outlet connection. For high tank.

E-8080—No. 2 high tank with automatic fittings and wall hooks.

E-9921—Single flush pipe assembly.

NOTE: Any number of New Correctos may be set in one battery. We do not recommend flushing more than four urinals with one tank.

See page 71 for tanks; page 72 for flush pipe assemblies.

### NEW CORRECTO AND TANK COMBINATIONS

no. urinals	valve size	china tank with fittings	flush pipes
one	$\frac{3}{4}$ "	No. 2	E-9921
two	1"	No. 2	E-9922
three	$1\frac{1}{4}$ "	No. 4	E-9923
four	$1\frac{1}{4}$ "	No. 4 or 6	E-9924




# urinals WALL

## New Correcto

VITREOUS CHINA

### DIMENSIONS




**E-8117**—Wall-hung blowout urinal with 1 1/4" back spud, integral flushing rim, semi-concealed overflow, integral trap with cleanout, wall hangers and 2" female flanged wall outlet connection. For concealed flush valve.

**E-8115**—Same as E-8117, except with 1 1/4" top spud. For exposed flush valve.

### FLUSH VALVES

make	exposed	concealed
Delany Flushboy	452-VB	572-VB
Sloan Royal	180-YV	190-YV
Watrous Neptune	M-349-SVB	M-341-SVB




E-8117

NOTE: Concealed chair supports when required for New Correcto can be furnished by Josam, Smith, Wade, Zurn, or others.

## NEW! ULTRA-FLUSH RIM NOW AVAILABLE ON ALL NEW URINALS

Our new line of urinals includes the New Correcto, New Terminal, New Dover and New Bedfordshire. The new Ultra-Flush Rim evenly washes and keeps clean all concealed areas. There is now less need for continuous cleaning to remove stains and odor.



Above sketch illustrates Ultra-Flushing action completely covering entire surface including concealed areas usually not flushed by other urinals.



# WALL urinals

## New Terminal

VITREOUS CHINA




E-8165

NOTE: Concealed chair supports when required for New Terminal can be furnished by Josam, Smith, Wade, Zurn, or others.

E-8165—Wall-hung blowout urinal with 1 1/4" top spud, integral flushing rim, wall hangers, and 2" female flanged wall outlet connection. For exposed flush valve.


E-8166—Same as E-8165, except with 1 1/4" back spud. For concealed flush valve.

NOTE: Available with 3" female flanged wall outlet connection when specified.



### FLUSH VALVES

make	exposed	concealed
Delany Flushboy	452-VB	572-VB
Sloan Royal	180-YV	190-YV
Watrous Neptune	M-349-SVB	M-341-SVB



E-8195


NOTE: Concealed chair supports when required for New Dover can be furnished by Josam, Smith, Wade, Zurn, or others.

## New Dover

VITREOUS CHINA

E-8195—Wall-hung siphon jet urinal with 1 1/4" top spud, integral flushing rim, wall hangers, and 2" female flanged wall outlet connection. For exposed flush valve.

E-8196—Same as E-8195, except with 1 1/4" back spud. For concealed flush valve.



### FLUSH VALVES


make	exposed	concealed
Delany Flushboy	452-VB	572-VB
Sloan Royal	180-YV	190-YV
Watrous Neptune	M-349-SVB	M-341-SVB



# urinals PEDESTAL

## Denison VITREOUS CHINA

### DIMENSIONS



**E-8200**—Pedestal siphon jet urinal with 1 1/4" top spud. For exposed flush valve.


**E-8201**—Same as E-8200, except with 1 1/4" back spud. For concealed flush valve.

Outlet designed for closet floor flange.

See page 71 for tank; page 72 for flush pipe assembly.

### FLUSH VALVES

make	exposed	concealed
Delany Flushboy	453-VBD	573-VBD
Sloan Royal	181-UYV	191-UYV
Watrous Neptune	M-343-SVB	M-360-SVB



**E-8200**


NOTE: E-8200 Denison urinal may be installed with E-8080 No. 4 high tank and E-9927 flush pipe. Only one urinal to be supplied with a single tank.

## WALL

## New Bedfordshire

### VITREOUS CHINA

### DIMENSIONS



**E-8235**—Wall-hung washout urinal with 3/4" top spud, integral flushing rim, overflow, wall hangers, 1 1/2" bottom spud with coupling nut and 1 1/2" tailpiece and concealed wall screw.

### FITTINGS


E-9875—Self-closing valve (not a flush valve).

E-9725—1 1/2" "P" trap.

New Bedfordshire also available with flush valves as specified below.

### FLUSH VALVES

make	exposed
Delany Flushboy	451
Sloan Royal	186
Watrous Neptune	M-349




**E-8235**

NOTE: For complete line of urinal valves for New Bedfordshire urinal, see brass section.



## ACCESSORIES **urinals**



E-8045


### *Seam Cover* VITREOUS CHINA

**E-8045**—Straight front seam cover for use with Eljer Dale stall urinals.

#### **SIZES:**

3" to space stalls on 21" centers.  
6" to space stalls on 24" centers.

NOTE: Seam covers should be fitted to stalls at factory to assure proper assembly at job site.



E-8080

### *High Tank* VITREOUS CHINA

**E-8080**—High tank with automatic top fill siphon fittings and wall hooks.

**E-8085**—Same, except with chain and pull fittings. (sizes No. 6 and 8 only).


TANK DIMENSIONS		
no.	inside dimensions	approx. flush capacity
2	10 x 7 1/2 x 12 1/2"	2 1/2 Gal.
4	15 x 7 1/2 x 12 1/2"	4 Gal.
6	17 x 8 1/2 x 12 1/2"	5 Gal.
8	19 x 9 1/2 x 12 1/2"	6 1/2 Gal.



E-9901

Stall urinal strainer with china grid. For caulking 2" iron pipe or soldering 2" lead pipe.

**E-9902**—Same except with flat metal grid.



E-9903

Stall urinal strainer with beehive grid. For caulking 2" iron pipe or soldering 2" lead pipe.



E-9905


Stall urinal strainer with flat metal grid. Tapped for iron pipe connection. Sizes: 2", 3".

**E-9904**—Same except with china grid.



# urinals FLUSH PIPE ASSEMBLIES

For New Bedfordshire, Dale, and New Correcto washout urinals.



E-9921




E-9930


E-9921  
3/4" O. D. single flush pipe assembly.

E-9922  
3/4" O. D. two-part flush pipe assembly.

E-9930  
Pipe Holder. Sizes: For 3/4", 1", 1 1/4" and 1 1/2" O. D. tubing.




E-9922



E-9923


1" O. D. three-part flush pipe assembly.



E-9924


1 1/4" O. D. four-part flush pipe assembly.

For New Dover, New Terminal, Denison, and New Correcto Blowout Urinals.




E-9926

1 1/4" O.D. single flush pipe assembly for New Dover, New Terminal, and New Correcto blowout urinals.



E-9927

1 1/4" O. D. single flush pipe assembly for Denison urinal.



E-9928

1 1/4" O.D. two-part flush pipe assembly for New Dover urinals.

NOTE: All assemblies include spud nuts and flanges. Two-part, three-part and four-part assemblies, are for setting urinals on 24" centers.





E-4937

Especially suitable for gymnasiums and other indoor sports arenas.




## SEMI-RECESS cuspidor

*Sparta*

VITREOUS CHINA

**E-4937**—Semi-recess cuspidor with beehive strainer and wall screws with chrome cap nuts. Supply fitting with self-closing valve and screw driver stop for regulating flow to brass spreader. Has  $\frac{3}{8}$ " I.P.S. supply connection,  $1\frac{1}{4}$ " rough cast brass "P" trap with front cleanout plug and stainless steel cover for access opening.

NOTE: Available with trap with  $1\frac{1}{4}$ " inlet,  $1\frac{1}{2}$ " outlet when specified.



E-4939

The lustrous vitreous china finish of this drinking fountain and cuspidor combination is easier to clean and stays clean longer than any other finish available.

## fountain-cuspidor


*Croydon-Sparta*

VITREOUS CHINA

**E-4939**—Semi-recess drinking fountain and cuspidor combination. Combines E-4935 fountain and E-4937 cuspidor, plus the concealed piping to permit flushing of the cuspidor simultaneously with the use of the fountain.

Specify E-4936 Fountain if required with E-9418 push button glass filler.

NOTE: Available with traps with  $1\frac{1}{4}$ " inlet,  $1\frac{1}{2}$ " outlet when specified.





# fountains FULL RECESS

## *New Glendale*



**VITREOUS CHINA**

**E-4996**—Full recess drinking fountain with elevated bubbler base, integral strainer, wall screws and recessed chrome cap nuts. Vandal proof non-squirting bubbler with recessed self-closing valve with automatic stream height regulator and screw driver stop. Has  $\frac{3}{8}$ " I.P.S. supply connection,  $1\frac{1}{4}$ " rough cast brass "P" trap with front clean-out plug and stainless steel cover for access opening. E-9418 Self-closing push button glass filler.

**E-4997**—Same as E-4996, less E-9418 glass filler in back.

NOTE: Available with trap with  $1\frac{1}{4}$ " inlet,  $1\frac{1}{2}$ " outlet when specified.

### DIMENSIONS



**E-4996**

Full recess fountain and fittings gives a neat space saving installation. Especially fine for hallways where traffic in passers-by is heavy and bumping could be a problem.

# cuspidor FULL RECESS



## *New Athens*

**VITREOUS CHINA**

**E-4998**—Full recess cuspidor with beehive strainer and wall screws with recessed chrome cap nuts. Recessed supply fitting with self-closing valve and screw driver stop for regulating flow to brass spreader. Has  $\frac{3}{8}$ " I.P.S. supply connection,  $1\frac{1}{4}$ " rough cast brass "P" trap with front cleanout plug and stainless steel cover for access opening.

NOTE: Available with trap with  $1\frac{1}{4}$ " inlet,  $1\frac{1}{2}$ " outlet when specified.


### DIMENSIONS



**E-4998**

Designed especially for gymnasiums and other indoor sports arenas.





E-4999

The lustrous vitreous china finish of this drinking fountain and cuspidor combination is easier to clean and stays clean longer than any other finish available.

NOTE: THE NEW GLENDALE-ATHENS COMBINATION REPLACES THE OLD STYLE GLENDALE-ATHENS SHOWN ON PAGE 80.

## fountain-cuspidor

FULL RECESS

### *New Glendale-Athens*



VITREOUS CHINA

E-4999—Full recess drinking fountain and cuspidor combination. Combines E-4997 fountain and E-4998 cuspidor, plus the concealed piping to permit flushing of the cuspidor simultaneously with use of the fountain.

Specify E-4996 Fountain if required with E-9418 push button glass filler.

NOTE: Available with traps with 1 1/4" inlet, 1 1/2" outlet when specified.

#### DIMENSIONS



E-2250

Both the E-9405 Bubbler and E-9366 Glass filler have lugs on bottom to fit notches in fixture to prevent turning.

## fountain-sink

### *Ledgmont*

ENAMELED CAST IRON

Acid Resisting

E-2250—Classroom Drinking Fountain and Flat Rim Sink Combination with ledge at back and sides. Includes E-9366 Self-closing glass filler with automatic volume regulator and gooseneck spout with stream regulator, E-9405 Self-closing non-squirting bubbler with automatic stream height regulator and E-9786 Flat grid strainer with 1 1/2" O.D. tailpiece.



#### FITTINGS

E-9727—1 1/2" "P" trap.

E-9917—Stainless steel frame.

SIZES: 24 x 18"; 30 x 20"

#### DIMENSIONS



SIZE	A	B	C	D
24 x 18	18	24	12 1/4	15 1/4
30 x 20	20	30	14 1/4	21 1/4





# fountains FREEZE-PROOF

## *Duluth*

VITREOUS CHINA

**E-4960-MK14**—Drinking fountain with elevated bubbler base, 8" high back, wall hangers, non-squirting bubbler and strainer with 1 1/4" tubing tailpiece. Modern-Kelly No. 14 push button freeze-proof supply valve and drain assembly with automatic stream regulator and 3/8" supply connection with stop, 1 1/4" O. D. drain ell, slip nut and wall flange, 1 1/4" tubular brass "P" trap with cast brass swivel elbow threaded inside, 12 x 18 x 4" painted metal insulated cabinet with access panel.

### DIMENSIONS



E-4960-MK14



NOTE: Freeze-proof equipment regularly furnished for wall thickness up to 12" with exposed cabinet installations. (16" with recessed cabinet)

## *Crystal*

VITREOUS CHINA

**E-4995-MK14**—Drinking fountain with elevated bubbler base, wall screws with chrome cap nuts, non-squirting bubbler and strainer with 1 1/4" tubing tailpiece. Modern-Kelly No. 14 push button freeze-proof supply valve and drain assembly with automatic stream regulator and 3/8" supply connection with stop, 1 1/4" O. D. drain ell, slip nut and wall flange, 1 1/4" tubular brass "P" trap with cast brass swivel elbow threaded inside, 12 x 18 x 4" painted metal insulated cabinet with access panel.

### DIMENSIONS



E-4995-MK14

NOTE: Freeze-proof equipment regularly furnished for wall thickness up to 12" with exposed cabinet installations. (16" with recess cabinet)



# sinks

## CORNER FLOOR SERVICE

### *Custodial* ENAMELED CAST IRON Acid Resisting

E-2720—Corner Service Sink for floor installation.


#### FITTINGS

E-2727—Removable vinyl coated rim guard.

E-9997—Exposed combination sink faucet with vacuum breaker, integral stops, 5' rubber hose and wall hook.

E-9907—Strainer with flat metal grid tapped for 2" or 3" iron pipe connection. (Specify size required)


Size: 28 x 28", height 13"



E-2720

The new Eljer Custodial service sink offers space saving convenience. The corner floor type of installation minimizes floor splashing and eliminates the usual dirt catching space found under conventional service sinks. Acid resisting cast iron provides the dependable service demanded by rough, daily usage.

#### DIMENSIONS



#### EXCLUSIVE FEATURES

- Corner floor design saves space.
- Low, curved front apron for convenience.
- Large flat bottom for bucket filling and mop trucks.
- Fluted channels slope toward outlet for quick drainage.
- Integral tiling-in bead for tight, waterproof joints.
- Vinyl coated metal rim guard protects both rim and apron and is removable for easy cleaning.







Digitized by:



ASSOCIATION  
FOR  
PRESERVATION  
TECHNOLOGY,  
INTERNATIONAL

[www.apti.org](http://www.apti.org)

BUILDING  
TECHNOLOGY  
HERITAGE  
LIBRARY

<https://archive.org/details/buildingtechnologyheritagelibrary>

From the collection of:  
Mike Jackson, FAIA